2014 Consumer Confidence Report

Water System Name:	WesPak, Inc.	eport Date:	5/28/2015
_	ter quality for many constituents as required by sta oring for the period of January 1 - December 31, 20	•	•
Este informe contiene entienda bien.	información muy importante sobre su agua pota	ıble. Tradú	zcalo ó hable con alguien que lo
Type of water source(s)	in use: Well #1 (backup well) Well #2 (main we	ell)_	
Name & general locatio	n of source(s): WesPak, Inc. 4572 Ave 400 Dinul	ba, Ca 93618	3
Dili W. G			
Drinking Water Source	Assessment information:		
Time and place of regul	arly scheduled board meetings for public participation	on: WesPa	ak, Inc. 4572 Ave 400 Dinuba Ca
For more information, c	ontact: Cheryl Herbig	Phone: (559)897-7700

TERMS USED IN THIS REPORT

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (USEPA).

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Primary Drinking Water Standards (PDWS): MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Secondary Drinking Water Standards (SDWS): MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Variances and Exemptions: State Board permission to exceed an MCL or not comply with a treatment technique under certain conditions.

ND: not detectable at testing limit

ppm: parts per million or milligrams per liter (mg/L)

ppb: parts per billion or micrograms per liter (μg/L)

ppt: parts per trillion or nanograms per liter (ng/L)

ppq: parts per quadrillion or picogram per liter (pg/L)

pCi/L: picocuries per liter (a measure of radiation)

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring

minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- *Microbial contaminants*, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- *Inorganic contaminants*, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.
- Radioactive contaminants, that can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the USEPA and the State Water Resources Control Board (State Board) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. State Board regulations also establish limits for contaminants in bottled water that provide the same protection for public health.

Tables 1, 2, 3, 4, 5, 7, and 8 list all of the drinking water contaminants that were detected during the most recent sampling for the constituent. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The State Board allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one year old.

TABLE 1 –	SAMPLING	RESULT	S SHOWI	NG THE DI	ETECTION	OF COLIF	ORM BACTERIA	
Microbiological Contaminants (complete if bacteria detected)	Highest No. of Detections	No. of m	onths in ution	МС	CL	MCLG	Typical Source of Bacteria	
Total Coliform Bacteria	(In a mo.)	()	More than 1 month with a		0	Naturally present in the environment	
Fecal Coliform or E. coli	(In the year)	0		O A routine sample of total coliform a sample also det coliform or E. of		e detect n and either detects fecal	0	Human and animal fecal waste
TABLE 2	- SAMPLIN	IG RESUL	TS SHOW	ING THE	DETECTIO	ON OF LEA	D AND COPPER	
Lead and Copper (complete if lead or copper detected in the last sample set)	Sample Date	No. of samples collected	90 th percentile level detected	No. sites exceeding AL	AL	PHG	Typical Source of Contaminant	
Lead (ppb)	9/12/13	5		0	15	0.2	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits	
Copper (ppm)	9/12/13	5		0	1.3	0.3	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives	
	TABLE 3	– SAMPL	ING RESU	LTS FOR S	SODIUM A	ND HARDI	NESS	
Chemical or Constituent (and reporting units)	Sample Date	Level Detecte		Range of etections	MCL	PHG (MCLG)	Typical Source of Contaminant	
Sodium (ppm)	5/95 well #1 1/98 well #2	31.2 44.7			none	none	Salt present in the water and is generally naturally occurring	

Hardness (ppm)	5/95	247.1	none	none	Sum of polyvalent cations present
	well #1				in the water, generally magnesium
	1/98	230			and calcium, and are usually
	well #2				naturally occurring

*Any violation of an MCL or AL is asterisked. Additional information regarding the violation is provided later in this report.

Chemical or Constituent (and reporting units)	Sample Date	E CONTAMINA Level Detected	Range of Detections	MCL [MRDL]	PHG (MCLG) [MRDLG]	WATER STANDARD Typical Source of Contaminant
Barium	3/10 Well #1 12/10	.15		1.0		Discharge of oil drilling waste and from metal refineries of natural deposits.
Nickel	Well #2 9/14 Well #1 9/14	.01		0.1		Erosion of natural deposits; discharge from metal factories.
Fluoride	Well #23/10 Well #1 12/10	.01		1.4-2.4		Erosion of natural deposits; water additive which promotes strong
Nitrate (No3)	3/10 Well #1	.01 29.4		45		teeth; discharge from fertilizer and aluminum factories. Runoff and leaching from fertilize
	12/10 Well #2 11/17/14	29.9				use; leaching from septic tanks ar sewage, erosion of natural deposi
Nitrite (No2)	Well #1 7/17/14 Well #2	<0.4 <0.4		1.0		Runoff and leaching from fertilize use; leaching from septic tanks an sewage.
Chromium – total	3/10 · Well #1 12/10 Well #2	<0.001		0.05		Discharge from steel and pulp mi and chrome plating erosion of natural deposits.
Chromium Hexavalent	1/13 Well #1 1/13 Well #2	1.2		10		Discharge from electroplating factories, leather tanneries, wood preservation, chemical synthesis, refractory production, and textile manufacturing facilities; erosion on atural deposits.
Perchlorate	3/12 Well #1 3/12 Well #2	<4.0 <4.0		6		Perchlorate is an inorganic chemical used in solid rocket propellant, fireworks, explosives, flares, matches, and a variety of industries. It usually gets into drinking water as a result of environmental contamination fror historic aerospace or other industrial operations that used or use, store or dispose of perchlorate

TABLE 5 – DETECTION OF CONTAMINANTS WITH A <u>SECONDARY</u> DRINKING WATER STANDARD

Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant
Color	5/95 Well #1 1/98 Well #2	1.0		15		Naturally-occurring organic materials.

Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	Notification Level	Health Effects Language
	TABLE	 6 – DETECTION	N OF UNREGUI	ATED CONTAMIN	IANTS
	1/98 Well #2	63.2			
Sulfate	5/95 Well #1	56.4		500	Runoff/leaching from natural deposits; industrial wastes.
	1/98 Well #2	28.4			
Chloride	5/95 well #1	34.0		250	Runoff/leaching from natural deposits; seawater influence.
	Well #1 1/98 Well #2	550			water; seawater influence.
Specific Conductance	5/95	520		900	Substances that form ions when in
	Well #1 1/98 Well #2	440			deposits.
Total dissolved solids	Well #2 5/95	432		500	Runoff/leaching from natural
	Well #1 1/98	0.9		1.0	deposits.
Zinc	Well #2 5/95	<0.1		1.0	Runoff/leaching from natural
1 at Diality	Well #1 1/98	1.3			Son funon.
Turbidity	Well #2 5/95	<1		5	Soil runoff.
Odor	5/95 Well #1 1/98	<1 1.0		3	Naturally-occurring organic materials.
Odor	Well #2				Networld
144milkaniese	Well #1 1/98	<0.01		.03	Leaching from natural deposits.
Manganese	Well #2 5/95	19.5		.05	Loophing from notional days :
Iron	5/95 Well #1 1/98	<0.1		0.3	Leaching from natural deposits; industrial wastes.
Iron	Well #2	-0.1		0.2	Locality Communication of
1 Camming 1 Igomo	Well #1 1/98	0.1		0.3	discharges.
Foaming Agents	1/98 Well #2 5/95	<0.1		0.5	natural deposits; leaching from wood preservatives. Municipal and industrial waste
Copper	5/65 Well #1	<0.1		1.0	Internal corrosion of household plumbing systems; erosion of

Gross Alpha	3/12 Well #1	25.6	Certain minerals are radioactive and may emit a form of radiation
	3/12 Well #2	23.9	know as alpha radiation. Some people who drink water containing alpha emitters is excess of the MCL over many years may have an increased risk of getting cancer.
Uranium	11/11 Well #1 11/11 Well #2	19.5	Some people who drink water containing uranium in excess of the MCL over many years may have kidney problems or an increased risk of getting cancer.

^{*}Any violation of an MCL, MRDL, or TT is asterisked. Additional information regarding the violation is provided later in this report.

Additional General Information on Drinking Water

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Lead-Specific Language for Community Water Systems: If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. [INSERT NAME OF UTILITY] is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Summary Information for Violation of a MCL, MRDL, AL, TT, or Monitoring and Reporting Requirement

VIOLATION	N OF A MCL, MRDL, AL,	TT, OR MONITORI	NG AND REPORTING REQU	IREMENT
Violation	Explanation	Duration	Actions Taken to Correct the Violation	Health Effects Language

For Water Systems Providing Ground Water as a Source of Drinking Water

TABLE 7 – SAMPLING RESULTS SHOWING FECAL INDICATOR-POSITIVE GROUND WATER SOURCE SAMPLES							
Microbiological Contaminants (complete if fecal-indicator detected)	Total No. of Detections	Sample Dates	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant		
E. coli	(In the year)		0	(0)	Human and animal fecal waste		
Enterococci	(In the year)		ТТ	n/a	Human and animal fecal waste		
Coliphage	(In the year)		TT	n/a	Human and animal fecal waste		

Summary Information for Fecal Indicator-Positive Ground Water Source Samples, Uncorrected Significant Deficiencies, or Ground Water TT

SPECIAL	NOTICE OF FECAL IND	ICATOR-POSITIVE	GROUND WATER SOURCE S	SAMPLE
		· 		
		· · · · · · · · · · · · · · · · · · ·		
	SDECIAL NOTICE FOR	UNCODDECTED SIG	CAUDICANT DEDICIES	
··········	SPECIAL NOTICE FOR	UNCORRECTED SIC	GNIFICANT DEFICIENCIES	
	VIOLA	TION OF GROUND V	WATER TT	
TT Violation	Explanation	Duration	Actions Taken to Correct the Violation	Health Effects Language

For Systems Providing Surface Water as a Source of Drinking Water

TABLE 8 - SAMPLING RESULTS SHOWING TREATMENT OF SURFACE WATER SOURCES				
Treatment Technique ^(a) (Type of approved filtration technology used)				
Turbidity Performance Standards (b) (that must be met through the water treatment process)	Turbidity of the filtered water must: 1 – Be less than or equal to NTU in 95% of measurements in a month. 2 – Not exceed NTU for more than eight consecutive hours. 3 – Not exceed NTU at any time.			
Lowest monthly percentage of samples that met Turbidity Performance Standard No. 1.				

Concumor	Confidence	Ranart
Consumer	Connaence	Kepori

Page 7 of 7

Highest single turbidity measurement during the year	
Number of violations of any surface water treatment requirements	

- (a) A required process intended to reduce the level of a contaminant in drinking water.
- (b) Turbidity (measured in NTU) is a measurement of the cloudiness of water and is a good indicator of water quality and filtration performance. Turbidity results which meet performance standards are considered to be in compliance with filtration requirements.
- * Any violation of a TT is marked with an asterisk. Additional information regarding the violation is provided below.

Summary Information for Violation of a Surface Water TT

TT Violation	Explanation	Duration	Actions Taken to Correct the Violation	Health Effects Language
	·			
Sumr	nary Information fo	r Operating Und	er a Variance or Exemp	tion
~ *****	y	· operating one	or a variance or macinp	

	Summary Information for Operating Under a Variance or Exemption						
-							
·							
,							
				_			
			,	****			